

# MAJOR HAZARD FACILITY PUBLIC INFORMATION



WorkSafe must maintain a record containing the information below on an internet site in respect of each major hazard facility to which the major hazard facilities Health and Safety at Work (Major Hazard Facilities) Regulations 2016 apply, in accordance with regulation 68.

Date: 19/11/2018

## Operator details

Full legal name:  
(limited liability, individual person, or other) The New Zealand Refining Company Limited

Trading name:  
(if different to legal name) Refining NZ

## Physical address of facility

Street number: Street name: Port Marsden Highway

Suburb: City: Ruakaka

Postcode: 0171

Any other relevant information to identify the location of the facility, if required

## WorkSafe New Zealand designation and confirmation of the parts of the Health and Safety at Work (Major Hazard Facilities) Regulations 2016 that apply.

Major Hazard Facility Tier:

- Lower Tier Major Hazard Facility  
Parts 1,2,3,4,6,7 of the Regulations apply
- Upper Tier Major Hazard Facility  
Parts 1,2,3,4,5,6,7 of the Regulations apply

Other:

- This major hazard facility is subject to the following parts of the regulations: Part 1 - 7

## Explanation of the activity or activities undertaken at the facility:

Manufacturing, storage & distribution of transport fuels.

**Hazard classification of specified hazardous substances**

Tick all that apply

<input type="checkbox"/> Class 1: Explosives	<input type="checkbox"/> Class 1: Retail fireworks
<input checked="" type="checkbox"/> Class 2: Flammable gases	<input type="checkbox"/> Class 2: Aerosols
<input checked="" type="checkbox"/> Class 3.1: Flammable liquids	<input checked="" type="checkbox"/> Class 3.1: Flammable liquids where processing conditions, high temperature or pressure, may create major accident hazards
<input type="checkbox"/> Class 4.1: Self-reactive substances and mixtures	<input checked="" type="checkbox"/> Class 4.2: Pyrophoric liquids and solids
<input type="checkbox"/> Class 4.3: Substances that emit flammable gases in contact with water	<input checked="" type="checkbox"/> Class 5.1: Oxidising gases
<input type="checkbox"/> Class 5.1: Oxidising liquids and solids	<input type="checkbox"/> Class 5.2: Organic peroxides
<input checked="" type="checkbox"/> Class 6.1: Acute toxic	<input checked="" type="checkbox"/> Class 6.9: Specific target organ systemic toxicity (single exposure)
<input type="checkbox"/> Substances that react violently or liberate toxic gas on contact with water	

**Public warning in case of major incident**

General information about how the public will be warned in the event of a major incident at the facility:

The general public in the immediate vicinity of the Refinery will receive unofficial warning of a potential major incident at the Refinery as the Site wide evacuation alarm can be heard up to 3 km away from the site. Upon hearing the alarm the public can access the following for further information:

- Refining NZ Facebook Page
  - Updated by corporate communications team as incident unfolds.
- Local Radio Stations
- Red Cross Hazards cellphone App
  - Warnings will be issued by Northland Civil Defence Duty Officer in the event of a major incident.
- Civil Defence Emergency Mobile Alert , Civil Defence Emergency Txt and Email (if they become involved)
- Normal public communication networks for external emergency response agencies (if they become involved)
- Local Industry in the immediate vicinity of the Refinery will be contacted directly if there is a potential threat

**Public actions in case of major incident**

General information about how the public should act and any precautionary steps that people should take if a major incident occurs at the facility:

In the event of a major incident at the Refinery the public should:

- Stay away from the Refinery and surrounding area this includes the beach front around the refinery and 200m offshore
- Respect all cordons put in place and warning advice given