

# MAJOR HAZARD FACILITY PUBLIC INFORMATION



WorkSafe must maintain a record containing the information below on an internet site in respect of each major hazard facility to which the major hazard facilities Health and Safety at Work (Major Hazard Facilities) Regulations 2016 apply, in accordance with regulation 68.

Date: 14/11/2018

## Operator details

Full legal name:  
(limited liability, individual person, or other) Rockgas Ltd

Trading name:  
(if different to legal name)

## Physical address of facility

Street number: 40 Street name: Maui Street

Suburb: Pukete City: Hamilton

Postcode: 3200

Any other relevant information to identify the location of the facility, if required

## WorkSafe New Zealand designation and confirmation of the parts of the Health and Safety at Work (Major Hazard Facilities) Regulations 2016 that apply.

Major Hazard Facility Tier:

Lower Tier Major Hazard Facility  
Parts 1,2,3,4,6,7 of the Regulations apply

Upper Tier Major Hazard Facility  
Parts 1,2,3,4,5,6,7 of the Regulations apply

Other:

This major hazard facility is subject to the following parts of the regulations: Part 1 - 4, 6 - 7

## Explanation of the activity or activities undertaken at the facility:

Liquefied petroleum gas (LPG) storage, cylinder filling and distribution.

**Hazard classification of specified hazardous substances**

Tick all that apply

<input type="checkbox"/> Class 1: Explosives	<input type="checkbox"/> Class 1: Retail fireworks
<input checked="" type="checkbox"/> Class 2: Flammable gases	<input type="checkbox"/> Class 2: Aerosols
<input type="checkbox"/> Class 3.1: Flammable liquids	<input type="checkbox"/> Class 3.1: Flammable liquids where processing conditions, high temperature or pressure, may create major accident hazards
<input type="checkbox"/> Class 4.1: Self-reactive substances and mixtures	<input type="checkbox"/> Class 4.2: Pyrophoric liquids and solids
<input type="checkbox"/> Class 4.3: Substances that emit flammable gases in contact with water	<input type="checkbox"/> Class 5.1: Oxidising gases
<input type="checkbox"/> Class 5.1: Oxidising liquids and solids	<input type="checkbox"/> Class 5.2: Organic peroxides
<input type="checkbox"/> Class 6.1: Acute toxic	<input type="checkbox"/> Class 6.9: Specific target organ systemic toxicity (single exposure)
<input type="checkbox"/> Substances that react violently or liberate toxic gas on contact with water	

**Public warning in case of major incident**

General information about how the public will be warned in the event of a major incident at the facility:

In the event of a major incident, emergency services will be called and members of the public who may be affected will be warned through the emergency services.

**Public actions in case of major incident**

General information about how the public should act and any precautionary steps that people should take if a major incident occurs at the facility:

Do not approach the facility. Members of the public are advised to co-operate with any instructions or requests from the emergency services.